# SMALL GARDEN/RV UNIT INSTALLATION INSTRUCTIONS FOR GARDEN UNIT

### **IMPORTANT**

All the illustrations on this instruction sheet show typical plumbing methods. Actual installations must be adapted to individual requirements and regional codes. The author has made every effort to insure accuracy and reliability of the information and instructions. However, neither the author nor the manufacturer will accept responsibility for misinterpretation of the directions or human error. The end user assumes complete and total responsibility for installation errors.



## IMPORTANT NOTES ABOUT YOUR UNIT

- 1. The unit may be threaded easily onto a standard garden faucet and a standard garden hose.
- 2. Avoid leaving this unit in freezing temperatures with residual water inside, as impaired function may result.
- 3. Dropping unit may impair function.
- 4. This unit will become brittle and may become weakened or impaired if left exposed to the sun for an extended period of time.
- 5. If unit is buried in dirt, any brass fittings must be covered or sealed from the dirt, as nature will break down the brass.
- 6. Avoid installing this unit where the unit will be exposed for extended time periods to hot water above 140 degrees.
- 7. If applicable, clean by soaking the unit in a bath of water and apple cider vinegar. Unit is dishwasher safe.

# **INSTALLATION INSTRUCTIONS**

- 1. Thread top (female end) of garden unit onto the faucet.
- 2. Thread standard garden hose to the bottom of the Garden Unit.
- 3. Be sure to tighten sufficiently to avoid leakage.
- 1. Turn on the water and ENJOY!

Your installation is now complete! That was easy!



#### **IMPORTANT ADDITIONAL NOTES:**

- 1. Structured water will clean all calcium and aggregate deposits in your water pipes, and appliances that use water. So, all existing deposits need to be flushed as much as possible. Your water may be milky or discolored until the deposits have been flushed out completely, especially in older homes.
- 2. You may wish to contact an experienced plumber to drain the sediment in the bottom of your water heater. If your water heater has not been drained periodically the drain valve at the bottom may be corroded and may need to be replaced. The water heater may need to be drained weekly until all loosened deposits are flushed out.



For questions call **(519) 599-1145** or e-mail us at <a href="info@meridianenergywater.com">info@meridianenergywater.com</a>

## Congratulations!

You have just installed a **Meridian Energy Structured Water Unit**. Thanks for helping maintain a green earth environment.

www.meridianenergywater.com